

## TECHNICAL DATA SHEET


**NAME OF COMMODITY: Cycloaliphatic Epoxy Resin 184**

Offset to: HUNTSMAN CY184

**CAS NO.:** 5493-45-8

**MOLECULAR FORMULA:** C<sub>14</sub>H<sub>20</sub>O<sub>6</sub>

**MOLECULAR WEIGHT:** 284.31



**STRUCTURE FORMULA:**

TESTS	SPECIFICATIONS
<b>Appearance</b>	Pale Yellow to Colorless Liquid
<b>Weight Per Epoxide</b>	160-180
<b>Color</b>	100 APHA max
<b>Viscosity, cps</b>	600 - 900

**APPLICATION:**

**Epoxy Resin 184** has a saturated aliphatic structure which makes its exceptionally resistant to UV degradation.

**Epoxy Resin 184** has low viscosity, good heat resistance, weatherability and excellent electrical insulation functionalities. Main applications include epoxy active diluent, electrical components, Cl resistant coatings, fiber reinforced composites and LED encapsulant.

**PACKING:** net 200kg drums; 16mt / 20' fcl, palletized or ISO tank