

TECHNICAL DATA SHEET

NAME OF COMMODITY: Epoxidized Soya Bean Oil

CAS NO.: 8013-07-8

 $\begin{array}{llll} \textbf{MOLECULAR FORMULA:} & C_{57}H_{106}O_{10} \\ \textbf{MOLECULAR WEIGHT:} & 951.4626 \end{array}$

TEST ITEM	SPECIFICATION
Appearance	Clear Liquid
Color	150 Apha Max
Epoxy Value	6.6% Max
Acid Value KOH/g	0.5 Mg Max
Specific Gravity (20°C)	0.990 ± 0.008
Refractive Index 25 °C	1.4710 - 1.4750
Water %	0.3% Max

APPLICATION:

ESBO can be used in all the products of PVC, such as all food package materials, medical products, different kinds of film, sheet materials, tubing, sealing strip of refrigerator, artificial leather, plastic wallpaper, electrical wires and cables and other plastic products for everyday use.

ESBO can also be used as special printing ink and liquid composite stabilizer.

PACKING: 200 kg drum or 1000kg IBC or ISO tank